

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36	(@ad<"20030829" or @rlad<"20030829") and (isp or (internet near service near provider)) same (lns\$1 or (L2tP near network near server\$1)) same (lac\$1 or (access near concentrator))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:26
L2	140329	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near15 connection\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:26
L3	790	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near15 connection\$1 and failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:27
L4	0	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near15 connection\$1 and failover near15 enable near15 disable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:27
L5	71	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near15 connection\$1 and failover near15 set	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:28
L6	4	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near15 connection\$1 and determin\$4 near15 failover near15 set	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:29
L7	53	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near15 connection\$1 and determin\$4 near15 failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:33

## EAST Search History

L8	14	(@ad<"20030829" or @rlad<"20030829") and fail\$5 near10 establish\$4 near15 connection\$1 and determin\$4 near15 failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:33
L9	16	(@ad<"20030829" or @rlad<"20030829") and fail\$5 near10 establish\$4 near15 connection\$1 same failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:38
L10	428	(@ad<"20030829" or @rlad<"20030829") and fail\$5 near10 connect\$4 same failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:34
L11	13	(@ad<"20030829" or @rlad<"20030829") and determin\$4 near15 failover near10 (enable\$1 or disable\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 16:39
S1	1225	(@ad<"20030829" or @rlad<"20030829") and (lns\$1 or (L2tP near network near server\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:52
S2	450	(@ad<"20030829" or @rlad<"20030829") and (lns\$1 or (L2tP near network near server\$1)) and (lac\$1 or (access near concentrator))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:53
S3	6	(@ad<"20030829" or @rlad<"20030829") and (lns\$1 or (L2tP near network near server\$1)) and (lac\$1 or (access near concentrator)) same ((load near10 balanc\$4) or load\$balanc\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 16:48

## EAST Search History

S16	9	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near10 tunnel near15 edge near router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 18:40
S17	9	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near10 tunnel near15 edge near router and tunnel\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 18:43
S18	9	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near10 tunnel near15 edge near router and tunnel\$5 near15 router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 18:43
S19	8	(@ad<"20030829" or @rlad<"20030829") and establish\$4 near10 tunnel near15 edge near router and tunnel\$5 near15 edge near router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 18:43